


2SA298

Rev.E Mar.-2016


/ Package Dimensions

TO-92

Unit: mm



/ Marking Instructions



EU:

D5< ;

R: h_{FE}

Note:


BR: Company Code.

A298: Product Type.

O: h_{FE} Classifications Symbol

****: Lot No. Code, code change with Lot No.

() / Temperature Profile for Dip Soldering(Pb-Free)



Note:

- 1

25 150%

60 90sec;
- 2

255[±]5%

5[±]0.5sec;
- 3

2 10%/sec.
- 1.Preheating:25~150%, Time:60~90sec.

2.Peak Temp.:255[±]5%, Duration:5[±]0.5sec.

3. Cooling Speed: 2~10%/sec.

/ Resistance to Soldering Heat Test Conditions

270[±]5% 10[±]1 sec. Temp:270±5 Time:10±1 sec

/ Packaging SPEC.

/ BULK

Package Type	Units					Dimension (unit mm3)		
	Units/Bag /	Bags/Inner Box /	Units/Inner Box /	Inner Boxes/Outer Box /	Units/Outer Box /	Bag	Inner Box	Outer Box
TO-92	1,000	10	10,000	5	50,000	135×190	237×172×102	560×245×195
	1,000	10	Bag6	re10	T8(600023	TBag14(10,59075(	13384(237×172×79(10275(	9173560×245