


!"#\$%&
!"#\$%&'()*##### '(&%)**(&



!"#\$%&
!"#\$%&'()*+,-./:;<=>?@A B C D E F G H I J K L M N O P Q R S T U V W X Y Z [\] ^ _ ` { | } ~ ¡ ¢ £ ¤ ¥ ¦ § ¨ © ª « ¬ ® ¯ ° ± ² ³ ´ µ ¶ · ¸ ¹ º » ¼ ½ ¾ ¿

1. 塑封封装双 半导体三极管。

1676%48#9 : 9#3; 8161&43#68#; #<\$='>?># : 7; 1&6%# : ; %@; A !#


2. 与 互补。无卤产品。

B45 , 7 5 8&; 3C# , ; 63# / 6&+#" DEFF) G<! H I# : 34JK%&!#


3. 用于功率放大电路。

: 4 / 3#; 5 , 7606 3#; , , 76% ; &648!#

4. 67*89: // .; 2: <.3= / &>? : 1@.=A&




5. 67*89: // .; 2: <.3= / &>? : 1@.=A&



: L9#*、M : N56&& 3# # : L9#(、F : " ; 1 # # : L9#>、? : B477 %&43#
#

6. 67*89: // .; 2: <.3= / &>? : 1@.=A&

+ _{IN} #B7; 11606%; &6481# <C5 247#	"#	B#	D#
+ _{IN} # ; 8A #	EFO*?)#	*()O())#	*?)O>))#
P ; 3@68A#	HQ*"#	HQ*B##	HQ*D#




!"#\$%&
!"#\$%&'()*##### '(%)**(
#

&

# :;3;5 & 3#	# <C5 247#	# ; &8A#	# R8&&#
B477 %&43#&4#" ;1 #S47&;A #	S _B "\$#	M)#	S#
B477 %&43#&4#N5 && 3#S47&;A #	S _{BN} \$#	(F#	S#

+&& , -.. / / / !0123 %!%45#



!"#\$%&

!"#\$%&'()*#####'('&%)**()

#

&&+&&E:2@:A,&.I,=/3=/&

#

SOT-363-6I



E	1.95	2.25
F	0.20 Typ	



L	0.525 Ref.
---	------------





#

#

#

#

#

#

#

#

#

#

#

#

#

#

#

#

#

● “ 1 ”

$$H \quad \# \quad \# \quad \#$$

Y1

$$\beta_{FE} = \frac{I_{CQ}}{I_{BQ}}$$

***.

94& -#


● "1" Pin

H-## # B45 , ;8C#B4J !

Y1 ##### :34JK%&#=C, #B4J #


" -# # +_N#B7;11606%;&6481#<C5 247#B4J !#

***:# # `4^!#B4J a#%4J #%+;8A # / 6&+#`4^!#



!"#\$%&'()*+,-./:;<=>?@A B C D E F G H I J K L M N O P Q R S T U V W X Y Z [\] ^ _ ` { | } ~ ¡ ¢ £ ¤ ¥ ¦ § ¨ © ª « ¬ ® ¯ ° ± ² ³ ´ µ ¶ · ¸ ¹ º » ¼ ½ ¾

J L&+&& Temperature Profile for IR Reflow Soldering(Pb-Free)



94#
* *F) *E) ?)]1 %c# # # *! : 3 + ; &8A-*F)O*E)°Ca#=#5 -?)O])1 %!#
((MF±F F±)!F1 %c# # (! : ;@# = 5 ,!-(MF±F°Ca#DK3; &48-F±)!F1 %!#
> (*)°C.1 %!# # # # >! B447&8A#<, J-#(O*)°C.1 %!#
#

&&+&&& , /.<:=2,&<3&%390,1.=A&) , :<&(, /<&83=0.<.3=/&

(?)±F°C# # *)±*#1 %!# # # # = 5 ,!-(?)dF°C# # =65 -*)d*#1 %#

&&+&&& E:2@:A.=A&%E*8P&

##.## NN`#

: ;%@;A #=C, # #	R8&1 #					D65 81&48# # [K8& 5 5`#		
	Units/Reel 只/卷盘	Reels/Inner Box 卷盘/盒	Units/Inner Box 只/盒	Inner Boxes/Outer Box 盒/箱	Units/Outer Box 只/箱	Reel	Inner Box	Outer Box
SOT-363	3,000	10	30,000	6	180,000	7" ×8	180×120×180	390×385×205

&&+&&& Q3<.2, /&