


BRMUR15120AC

DATA SHEET

BRMUR15120AC


/ Electrical Characteristic Curve



/ Package Dimensions


TO-220AC

Unit:mm




Dimensions In Millimeters			Dimensions In Millimeters		
Symbol	Min	Max	Symbol	Min	Max
A	9.8	10.2	P _D	6.3	6.7
R	3.56	3.64	B1	9.0	9.4
a	1.22 ^B	1.32 ^B	C2	4.3	4.7
a1	0.7	0.9			

/ Marking Instructions



91
DLI (,)
!!!!

() / Temperature Profile for Dip Soldering(Pb-Free)



/ Resistance to Soldering Heat Test Conditions

/ Packaging SPEC.

	Units/Bag /	Bags/Inner Box /	Units/Inner Box /	Inner Boxes/Outer Box /	Units/Outer Box /	Bag	Inner Box	Outer Box
TO-220/F/AC	200	10	2,000	5	10,000	135×190	237×172×102	560×245×195

	Units/Tube /	Tubes/Inner Box /	Units/Inner Box /	Inner Boxes/Outer Box /	Units/Outer Box /	Tube	Inner Box	Outer Box
TO-220/F/AC	50	20	1,000	5	5,000	532×31.4×5.5	555×164×50	575×290×180

/ Notices